

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6634017".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:56
S2	0	Isi same (processor adj core) same memory same (module near3 (user or operator or designer)) same (configur\$4 or reconfigut\$4 or programmable or program\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 18:16
S3	0	Isi same (processor adj core) same memory same ((module or unit or program or storage) near3 (user or operator or designer)) same (configur\$4 or reconfigut\$4 or programmable or program\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 18:17
S4	141	Isi and (processor adj core) and memory and ((module or unit or program or storage) near3 (user or operator or designer)) and (configur\$4 or reconfigut\$4 or programmable or program\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 18:18
S5	6	Isi and (processor adj core) and memory and ((module or unit or program or storage) near3 (user or operator or designer)) and (configur\$4 or reconfigut\$4 or programmable or program\$5) and (716/4.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 18:36
S6	2	Isi and ((processor adj core) same (configur\$4 or reconfigut\$4 or programmable or program\$5)) and memory and ((module or unit or program or storage) near3 (user or operator or designer)) and (716/4.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 18:45
S7	9094	Isi and ((processor adj core) same (configur\$4 or reconfigut\$4 or programmable or program\$5)) same (user or designer or operator) and (((file near3 configuration) or instruction) near3 (map: or map\$4 or path or locat\$3)) (716/4.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 18:48

S8	0	Isi and ((processor adj core) same (configur\$4 or reconfigut\$4 or programmable or program\$5)) same (user or designer or operator) and (((file near3 configuration) or instruction) near3 (map or map\$4 or path or locat\$3)) and (716/4.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 18:49
S9	0	Isi and ((processor adj core) same (configur\$4 or reconfigut\$4 or programmable or program\$5)) same (user or designer or operator) and (file near3 configuration) and (716/4.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 18:49
S10	1	Isi and ((processor adj core) same (configur\$4 or reconfigut\$4 or programmable or program\$5)) and (file near3 configuration) and (716/4.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 18:51
S11	6	Isi and (processor same (configur\$4 or reconfigut\$4 or programmable or program\$5)) and (file near3 configuration) and (716/4.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 18:57
S12	6	Isi and (processor same (configur\$4 or reconfigur\$4 or programmable or program\$5)) and (file near3 configuration) and (716/4.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 11:57
S13	19	Isi and (processor same (configur\$4 or reconfigur\$4 or programmable or program\$5 or develop\$4)) and (file near3 (configuration or register)) and (user or designer or operator) and (716/4.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:29
S14	61	Isi same processor same memory same (configur\$4 near\$3 (unit or program or instruction)) and ("716"/\$.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:24
S15	4	("5896521.6006022", "5423023", "5493508").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:27

S16	2	"20020046391"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:27
S17	9	(lsi near5 processor near5 configur\$5) same instructions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:10
S18	0	(lsi near5 processor near5 configur\$5 near5 memory) same instructions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:03
S19	226	configurable adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:10
S20	0	(configurable adj processor) same lsi same cache same instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:11
S21	0	(configurable adj processor) same lsi same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:11
S22	8	(configurable adj processor) same lsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:13
S23	4	(configurable adj processor) same lsi and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:11
S24	8	((configurable adj processor) or (processor near3 architecture)) same lsi and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 10:48
S25	3	((configurable adj processor) or (processor near3 architecture)) same lsi and cache and (rtl or hdl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 16:32

S26	3	((configurable adj processor) or (processor near3 architecture) or (programmable adj processor)) same lsi and cache and (rtl or hdl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 17:28
S27	7	((configurable adj processor) or (processor near3 architecture) or (programmable adj processor)) same lsi and (rtl or hdl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 17:28